Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10091	data adj mining	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L2	7642	L1 and ((request\$3 or initiat\$3 or communicat\$3) with task\$1 or input\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L3	110	L2 and "717"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L4	3	L3 and (KPI or (key adj performance adj indicator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L5	2206	(data adj mining) and ((determin\$3 or choos\$3 or select\$3 or identif\$4 or pick\$3) near5 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L6	336	L5 and ((initiat\$3 or request\$3) near5 (task or input))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L7		(data adj mining) and ((determin\$3 or choos\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 task) and (version\$3 near5 model\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L8	101	L6 and "707"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35

190					,		
USPAT; USOCR; EPO; DPO; DERWENT; IBM_TDB USPAT; USPAT; USOCR; EPO; DPO; DERWENT; IBM_TDB USPAT; USP	L9	190	associat\$3 or correspond\$3) near5	USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35
Near Stask USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; OR USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB USPAT; USOCR; EPO; JPO; DERWENT;	L10	692	allocat\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 (task or	USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35
USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	L11	60		USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35
or choos\$3 or allocat\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 (task or information or data or record)) L14	L12	226	L10 and "707"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35
USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB L15	L13	960	or choos\$3 or allocat\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 (task or information or data	USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35
near5 task) USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB L16 144 L12 and (initiat\$3 or request\$3) US-PGPUB; OR ON 2007/12/18 17:35 USPAT; USOCR; EPO; JPO; DERWENT;	L14	282	L13 and "707"/\$.ccls.	USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35
USPAT; USOCR; EPO; JPO; DERWENT;	L15	20		USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35
	L16	144	L12 and (initiat\$3 or request\$3)	USPAT; USOCR; EPO; JPO; DERWENT;	OR	ON	2007/12/18 17:35

			•	,		
L17	25	(data adj mining) and ((choos\$3 or allocat\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L18	285	(data adj mining) and ((choos\$3 or allocat\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 (predict\$3 or task))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L19	40	L18 and ((initiat\$3 or request\$3) near5 task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L20	175	L18 and (initiat\$3 or request\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L21	8	("5918232" "5930798" "6108669" "6167405" "6282544" "6397202" "6490590" "6915313").PN. OR ("7092968"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/12/18 17:35
L22	5	(data adj mining) and ((determin\$3 or choos\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 task near5 (id or identifier or identification or name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L23	71 :	L13 and ((initiat\$3 or request\$3) near5 task)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L24	42	L23 and ((map\$4 or correlat\$3 or associat\$3 or correspond\$3) near5 model\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35

				,		
L25	60	L23 and ((map\$4 or correlat\$3 or associat\$3 or correspond\$3) with model\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	i ·	ON	2007/12/18 17:35
L26	60	L23 and ((map\$4 or correlat\$3 or associat\$3 or correspond\$3) with model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L27	268	L14 not L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ,	ON	2007/12/18 17:35
L28	2	"6778971".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L29		(data adj mining) and ((determin\$3 or choos\$3 or allocat\$3 or select\$3 or identif\$4 or pick\$3) near5 model near5 (task or information or data or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L30	407	L29 and (model near5 (id or identifier or identification or indicat\$3 or name))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35
L31	77	L30 and (version\$3 near5 model\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/18 17:35



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: The ACM Digital Library The Guide

+data mining analytical



Feedback Report a problem Satisfaction survev

Try an Advanced Search

Try this search in The ACM Guide

Terms used: data mining analytical

Found 30,818 of 215,737

Sort results by

Display

results

relevance

expanded form

? Search Tips

Open results in a new

Save results to a Binder

window

Results 1 - 20 of 200

Result page: 1 2 3

Relevance scale 🔲 📟 📟

Best 200 shown

Evolving data mining into solutions for insights: Emerging trends in business analytics

Ron Kohavi, Neal J. Rothleder, Evangelos Simoudis

August 2002 Communications of the ACM, Volume 45 Issue 8

Publisher: ACM Press

Full text available: 📆 pdf(104.67 KB) - Additional Information: full citation, abstract, references, citings, index

html(24.34 KB) terms

The goal is business effectiveness through 'verticalization,' usability, and integration with operational systems.

2 Towards on-line analytical mining in large databases Jiawei Han




March 1998 ACM SIGMOD Record, Volume 27 Issue 1

Publisher: ACM Press

Full text available: 📆 pdf(387.04 KB) Additional Information: full citation, abstract, citings, index terms

Great efforts have been paid in the Intelligent Database Systems Research Lab for the research and development of efficient data mining methods and construction of on-line analytical data mining systems. Our work has been focused on the integration of data mining and OLAP technologies and the development of scalable, integrated, and multiple data mining functions. A data mining system, DBMiner, has been developed for interactive mining of multiple-level knowledge in large relational databases and ...

3 A delivery framework for health data mining and analytics



January 2005 Proceedings of the Twenty-eighth Australasian conference on Computer Science - Volume 38 ACSC '05

Publisher: Australian Computer Society, Inc.

Full text available: pdf(547.36 KB) Additional Information: full citation, abstract, references, index terms

The iHealth Explorer tool, developed by CSIRO and DoHA, delivers web services type data mining and analytic facilities over a web interface, providing desktop access to sophisticated analyses over very large data collections. The tool allows users to access large transactional datasets to create profiles of selected patients. The patients' profiles, together with windowed event sequences data, can then be analyzed using a user chosen data mining tool. The results of the analysis can then ...



Images Video News Maps more »

data mining analytical

Search

Advanced Scholar Search Scholar Preferences Scholar Help

Scholar All articles - Recent articles

Results 1 - 10 of about 235,000 for data mining analytical. (0.24 seconds)

All Results

[воок] Data Mining: Concepts and Techniques - all 28 versions »

J Han

J Han, M Kamber - 2006 - books.google.com

M Kamber R Cooley

... and general implementations of data warehouse and on-line analytical process- ing,

as well as the relationship between data warehousing and data mining. ...

Cited by 4493 - Related Articles - Web Search - Library Search

J Srivastava

W Inmon

rest MineSet: An Integrated System for Data Mining - all 5 versions »

C Brunk, J Kelly, R Kohavi - ... Conference on Knowledge Discovery and Data Mining, August, 1997 diagnosis.xitu.edu.cn

... Analytical Data Mining Engines MineSet provides a suite of analytical mining tools

based on proven algorithms, such as classier inducers (Mitchell 1997) and ...

Cited by 86 - Related Articles - View as HTML - Web Search

[Book] Building Data Mining Applications for CRM - all 3 versions »

A Berson, S Smith, K Thearling - 1999 - McGraw-Hill Professional

... Online Analytical Processing (OLAP) tools that quickly navigate within your collected

data. Explore privacy and legal issues. . . evaluate current data mining ...

Cited by 215 - Related Articles - Web Search - Library Search

[BOOK] Focusing Solutions for Data Mining: Analytical Studies and Experimental Results in

Real-World ... - all 3 versions »

T Reinartz - 1999 - books.google.com

... Focusing solutions for data mining: analytical studies and experimental

results in real world domains / Thomas Reinartz. - Berlin ...

Cited by 29 - Related Articles - Web Search - Library Search

[PS] Issues for On-Line Analytical Mining of Data Warehouses - all 5 versions »

J Han, S Chee, JY Chiang - ... on Research Issues on Data Mining and Knowledge Discovery (... -

Page 1. Issues for On-Line Analytical Mining of Data Warehouses ... On-line analytical

mining (OLAM) integrates on-line analytical processing and data mining. ...

Cited by 44 - Related Articles - View as HTML - Web Search

Discovering Internet marketing intelligence through online analytical web usage mining -

all 12 versions »

AG Büchner, MD Mulvenna - ACM SIGMOD Record, 1998 - portal.acm.org

... flexible materialised views for explorative operations such as online analytical

processing or data mining (consequently named online analytical web usage ...

Cited by 206 - Related Articles - Web Search

Guest Editor's Introduction: Visual Data Mining - all 6 versions »

PC Wong - IEEE Computer Graphics and Applications, 1999 - doi.ieeecomputersociety.org

... The loosely coupled relationships between visualization and analytical data mining

techniques represent the majority of today's state of the art in visual data ...

Cited by 58 - Related Articles - Web Search

[рог] Data mining: an overview from a database perspective - all 33 versions »